

STONE TECHNOLOGIES, CORP.

PO Box 2161, Cleveland, TN 37320

Tel. (423) 503 4490 Fax: (425) 732 0920

www.stonetechnologiesinc.com

ECO PAINT & SEALER STRIPPER

TECHNICAL DATA SHEET

Eco Paint & Sealer Stripper is biodegradable, non-flammable, VOC compliant in all 50 states and an environmentally friendly coating remover. The product does not contain any methylene chloride, caustics or toxic chemicals. It does not contain any carcinogens or deplete the ozone like some competitive products.

Eco Paint & Sealer Stripper is highly effective in removing the most durable industrial coatings. It can be used to remove tough acrylics, epoxies, urethanes, polyureas, varnish, latex paints, lead based paints, alkyd paints and oil-based enamels on all types of substrates including concrete, masonry, brick, wood, steel, aluminum and metal alloys.

Eco Paint & Sealer Stripper is not harmful like methylene chloride based strippers, it is not sticky or messy like soy based strippers and offers cost savings over labor intensive mechanical stripping methods.

APPLICATION PROCEDURE

Eco Paint & Sealer Stripper is a ready to use product which must be mixed with a drill mixer until it is a creamy consistency (approx one min/gal). It can be applied with a roller, brush or airless sprayer at 50-90°F. The product should be applied at twice the thickness of the coating that is being removed. It must not dry out during the stripping process so it is recommended that it is covered with a plastic sheet. The coating is normally stripped in 2 to 4 hours but it can be significantly longer (up to 36 hours) for coatings with multiple layers. After stripping the coating can be removed using a scraper, squeegee, shop-vac or a >3000 psi pressure washer. Coverage rate will vary depending on the substrate and coating thickness but 50 to 100 sf/gal is typical.

PRODUCT FEATURES

- * Removes all types of paint coatings.
- * Removes all types of sealer coatings.
- * Environmentally Friendly.
- * Non-toxic.
- * VOC compliant.
- * Cost savings over mechanical stripping.
- * Non-flammable.
- * Biodegradable

CLEAN UP PROCEDURE

Clean equipment with soap and water, including the sprayer head, between applications.

SHELF LIFE

In the original container the product will have a shelf life of at least 2 years.

TYPICAL PROPERTIES

Appearance	-	Pasty liquid
Ionic Nature	-	NA
Odor	-	Virtually Odorless
Specific Gravity	-	1.16g/ml
pH	-	4.0
Compatibility	-	Do not mix this product with any other chemicals

PACKAGING

This product is available in the following containers:

- 1 quart plastic bottle
- 1 gallon plastic bottle
- 5 gallon plastic pail
- 55 gallon plastic drum

SHIPPING

This product is non-hazardous under DOT shipping regulations. We ship the smaller containers by Fedex Ground and the drums by a common carrier that we select unless otherwise requested by the customer.

SAFETY

Before handling this product always read the Material Safety Data Sheet and container label's physical and health hazard information.

The information contained in this Technical Data Sheet is, to the best of our knowledge, true and accurate. No warranty, expressed or implied, is made or intended. The use should be based upon the customer's own investigations and appraisal.