

STONE TECHNOLOGIES, CORP.
PO BOX 2161, CLEVELAND, TN 37320
TEL: (423) 503-4490
FAX: (425) 732-0920
www.stonetechologiesinc.com

February 10, 2012

To whom it may concern,

Concrete Sealer X-1 and Concrete Sealer X-2 contain identical ingredients, but , Concrete Sealer X-2 is a higher concentration version of Concrete Sealer X-1.

Concrete Sealer X-1/X-2 does not form a repellent barrier therefore it will not interfere with the adhesives used to apply vinyl flooring and they can also be painted.

Concrete Sealer X-1/X-2 is an aqueous alkaline silicate blended product. These type of products have been used for the chemical treatment of concrete for over fifty years in the construction industry.

After application of Concrete Sealer X1/X-2 the concrete will become dust proof, physically stronger and harder, stain resistant and will possess an internal moisture barrier. This product seals the concrete by chemically reacting with the calcium hydroxide in the concrete to form a new insoluble compound which produces all of these properties.

Concrete Sealer X-1/X-2 is a permanent finish because it reacts with the concrete at a chemical level and becomes an integral part of the concrete structure so it will be present for the life of the concrete. The sealer can only be removed if the concrete is physically destroyed.

Concrete Sealer X-1/X-2 Contain 0% (0 g/L) Volatile Organic Compounds (VOC) or solvents. They are considered to be environmentally friendly and do not release any harmful vapors into the atmosphere. All of the components in these products are listed on the TSCA inventory.



Michael A. Parry
President